

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: Jiro HIRAIWA, et al.

SERIAL NO: 10/760,505

GAU: 1793

FILED: January 21, 2004

EXAMINER: ZHENG, L.

FOR: ELECTROLYTIC APPARATUS FOR MOLTEN SALT

REQUEST FOR EXTENSION OF TIME
UNDER 37 C.F.R. 1.136

COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

SIR:


It is hereby requested that a **one** month extension of time be granted to February 20, 2009 for

- ☐ filing a response to the Official Action dated:
- ☐ responding to the requirements in the Notice of Allowability dated:
- ☐ filing the Formal Drawings. The Issue Fee due has been timely filed.
- ☐ responding to the Notice to File Missing Parts of Application dated:
- ☐ filing a Notice of Appeal. A timely response to the final rejection, due has been filed.
- ☒ Filing a **Request for Continued Examination**. A response to the final rejection, due January 20, 2009, has been filed.
- ☐ Applicant claims small entity status. See 37 CFR 1.27.

The required fee of \$130.00 is being made by credit card payment online (if electronically filed), or is attached hereto (if paper filed), and any further charges may be made against the Attorney of Record's Deposit Account No. 15-0030.

Respectfully Submitted,

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.



Gregory J. Maier

Registration No. 25,599

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 10/08)

I:\ATTY\ET\247935US\247935US EOT REQ 2-20-09.DOC

Edward W. Tracy, Jr.

Registration No. 47,998